



втычной элемент T1 / T2 для 5SD7483-6 и 5SD7483-7

версия		
торговая марка изделия	SENTRON	
наименование изделия	втычной элемент T1/T2	
исполнение изделия	Для 5SD7483-6 и 5SD7483-7	
Общие технические данные		
классификация УЗИП согласно EN 61643-11 категория испытаний II, тип 2	Да	
классификация УЗИП согласно EN 61643-11 категория испытаний I, тип 1	Да	
пригодность к использованию	5SD7483-6, 5SD7483-7	
Механическая конструкция		
масса нетто	102,8 g	
General Product Approval	Declaration of Conformity	other

[Confirmation](#)



[Confirmation](#)

other	Environment
Miscellaneous	Environmental Confirmations

Дополнительная информация
<p>Информация об упаковке Информация об упаковке</p> <p>Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs</p> <p>Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5SD7498-3</p> <p>Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/ru/ps/5SD7498-3</p> <p>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SD7498-3</p> <p>CAX-Online-Generator http://www.siemens.com/cax</p> <p>Tender specifications</p>



