



тестер TD500 вкл. 2 соед. кабеля PC-TD500, 3VA-TD500 внешний блок питания принадлежность для: 3VA6

версия	
торговая марка изделия	SENTRON
наименование изделия	Принадлежности
исполнение изделия	Контрольный прибор
принадлежности	Контрольный прибор
Общие технические данные	
монтажное положение	любой
степень защиты IP	IP30
Механическая конструкция	
число автоматических выключателей / прямого подключения	1
высота	190 mm
ширина	105 mm
глубина	42 mm
окружающая температура / при эксплуатации	
• мин.	-10 °C
• макс.	40 °C
окружающая температура / при хранении	
• мин.	-40 °C
• макс.	80 °C
Дополнительная информация	

**Информация об упаковке**

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3VA9977-0MB10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3VA9977-0MB10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9977-0MB10](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9977-0MB10)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

21.07.2022 

