



DIAZED, резьбовой колпачок DII 25 A 500 В AC/DC, изолирующий материал с контрольным отверстием

версия		
торговая марка изделия	SETRON	
наименование изделия	Резьбовой колпачок DIAZED	
исполнение изделия	С контрольным отверстием	
Общие технические данные		
типоразмер системы безопасности согласно DIN EN 60269-1	DII	
напряжение питания		
напряжение питания при переменном токе расчетное значение	500 V	
Механическая конструкция		
масса нетто	24 g	
материал головки предохранителя типа D	Пластмасса	
General Product Approval	Declaration of Conformity	other

[Confirmation](#)



[Miscellaneous](#)

other	Environment
Confirmation	Environmental Confirmations

Дополнительная информация
<p>Информация об упаковке Информация об упаковке</p> <p>Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs</p> <p>Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5SH1221</p> <p>Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/ru/ps/5SH1221</p> <p>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SH1221</p> <p>CAX-Online-Generator http://www.siemens.com/cax</p>

Tender specifications

<http://www.siemens.com/specifications>



