



поворотный привод, поворотная рукоятка, цвет: черный, для четырехточечного фронтального крепления, принадлежность для главных и аварийных выключателей 3LD2 на 63–125 А, а также для главных и аварийных выключателей 3LD5 UL для 30–60 А

| версия                                |        |
|---------------------------------------|--------|
| торговая марка изделия                | SETRON |
| пригодность к использованию           |        |
| • выключатель-разъединитель           | Да     |
| • автоматический выключатель          | Нет    |
| • аварийный выключатель               | Нет    |
| цвет                                  | черный |
| компонент изделия                     |        |
| • механизм механизм с навесным замком | Нет    |
| • замок с ключами                     | Нет    |

| Дополнительная информация                                                                                                                                               |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Информация об упаковке</b>                                                                                                                                           |  |
| <a href="#">Информация об упаковке</a>                                                                                                                                  |  |
| <b>Information- and Downloadcenter (Catalogs, Brochures,...)</b>                                                                                                        |  |
| <a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                     |  |
| <b>Industry Mall (Online ordering system)</b>                                                                                                                           |  |
| <a href="https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3LD9284-1B">https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3LD9284-1B</a> |  |
| <b>Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)</b>                                                                                           |  |
| <a href="https://support.industry.siemens.com/cs/ww/ru/ps/3LD9284-1B">https://support.industry.siemens.com/cs/ww/ru/ps/3LD9284-1B</a>                                   |  |
| <b>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)</b>                                                                  |  |
| <a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9284-1B">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9284-1B</a>                 |  |
| <b>CAX-Online-Generator</b>                                                                                                                                             |  |
| <a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>                                                                                                     |  |
| <b>Tender specifications</b>                                                                                                                                            |  |
| <a href="http://www.siemens.com/specifications">http://www.siemens.com/specifications</a>                                                                               |  |



