



SENTRON, держатель цилиндрических предохранителей, 22x58 мм, 3-пол., In: 100 A, Un AC: 690 В, светодиодный сигнализатор

версия		
торговая марка изделия		SENTRON
наименование изделия		Держатель цилиндрических предохранителей
исполнение изделия		Светодиодный сигнализатор
Общие технические данные		
число полюсов		3
типоразмер плавких вставок предохранителей		22x58 мм
напряжение питания		
рабочее напряжение		690 V
• при переменном токе расчетное значение		
степень защиты IP		IP20
Механическая конструкция		
высота		117 mm
ширина		108 mm
глубина		70 mm
масса нетто		495 g
Сертификаты		
справочный идентификатор согласно МЭК 81346-2:2009		F
General Product Approval		Declaration of Conformity
		other

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

Дополнительная информация	
Информация об упаковке	
Информация об упаковке	
Information- and Downloadcenter (Catalogs, Brochures,...)	
http://www.siemens.com/lowvoltage/catalogs	
Industry Mall (Online ordering system)	
https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3NW7232	
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)	
https://support.industry.siemens.com/cs/ww/ru/ps/3NW7232	
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)	
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7232	
CAx-Online-Generator	
http://www.siemens.com/cax	
Tender specifications	
http://www.siemens.com/specifications	



