



DELTA M-System модульная штекерная розетка Cat5 RJ45 8/8 со скользящей заслонкой алюминий металл

версия		
торговая марка изделия		DELTA
наименование изделия		UAE-розетка, кат.5
исполнение изделия		Модули системы m
исполнение защитной крышки		65 мм x 65 мм
исполнение компоновки		прочее
Общие технические данные		
вид монтажа		прочее
обработка поверхности		прочее
комплектация изделия надпись		Нет
материал		прочее
класс защиты		
степень защиты IP		IP20
пригодность		
пригодность к использованию		модульный штекерный разъем
появление		
внешний вид		не относится
цветовой код RAL		9006
цвет		алюминий металл
Подробнее		
компонент изделия		
• поле для надписей		Нет
• откидная крышка		Нет
• разгрузка от натяжения		Нет
характеристика изделия		
• безгалогенный		Да
• прозрачный		Нет
Механическая конструкция		
высота		65 mm
вид креплений		клеммное крепление
материал		прочее
General Product Approval		other

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

Информация об упаковке

[Информация об упаковке](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5TG9874-2AM>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/5TG9874-2AM>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG9874-2AM

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



