

принадлежность для 3KD0 типоразм. 01 прямой привод, цвет: красный/ желтый , 4-пол. блокируемый в положении ВЫКЛ.



| версия                                                        |                                                       |       |
|---------------------------------------------------------------|-------------------------------------------------------|-------|
| торговая марка изделия                                        | SETRON                                                |       |
| наименование изделия                                          | Принадлежности для выключателя нагрузки-разъединителя |       |
| исполнение изделия                                            | Прямой привод DIN43880                                |       |
| исполнение коммутационного привода                            | РУЧНОЙ ПРИВОД                                         |       |
| степень защиты IP с лицевой стороны                           | IP40                                                  |       |
| пригодность                                                   |                                                       |       |
| пригодность к использованию                                   | для 3KD, типоразмер 01                                |       |
| появление                                                     |                                                       |       |
| цвет исполнительного механизма                                | Красный/желтый                                        |       |
| исполнение индикатора для индикации коммутационного положения | I—O                                                   |       |
| Механическая конструкция                                      |                                                       |       |
| высота                                                        | 45 mm                                                 |       |
| ширина                                                        | 82 mm                                                 |       |
| глубина                                                       | 43 mm                                                 |       |
| масса нетто                                                   | 13 g                                                  |       |
| General Product Approval                                      |                                                       | other |
| Declaration of Conformity                                     |                                                       |       |

[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

| other                         | Environment                                 |
|-------------------------------|---------------------------------------------|
| <a href="#">Miscellaneous</a> | <a href="#">Environmental Confirmations</a> |

| Дополнительная информация                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Информация об упаковке                                                                                                                                                  |
| <a href="#">Информация об упаковке</a>                                                                                                                                  |
| Information- and Downloadcenter (Catalogs, Brochures,...)                                                                                                               |
| <a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                     |
| Industry Mall (Online ordering system)                                                                                                                                  |
| <a href="https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3KD9011-8D">https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3KD9011-8D</a> |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)                                                                                                      |

<https://support.industry.siemens.com/cs/ww/ru/ps/3KD9011-8D>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3KD9011-8D](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KD9011-8D)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



