



дверных поворотных приводов стандарт NEMA, тип 1, 3R, 12, 4/4X с устройством блокировки двери осветительный комплект 24 В DC с учетом открытого положения двери принадлежность для: 3VA6 150/250 3VA5 250

версия	
торговая марка изделия	SENTRON
наименование изделия	Принадлежности
исполнение изделия	Поворотный привод с выводом на дверь
принадлежности	Поворотный привод муфты двери
Общие технические данные	
степень защиты NEMA	NEMA 1, 3R, 12, 4, 4X
степень защиты IP	IP65
Механическая конструкция	
высота	82 mm
ширина	105 mm
Дополнительная информация	
Информация об упаковке	
Информация об упаковке	
Information- and Downloadcenter (Catalogs, Brochures,...)	
http://www.siemens.com/lowvoltage/catalogs	
Industry Mall (Online ordering system)	
https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3VA9277-0FK33	
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)	
https://support.industry.siemens.com/cs/ww/ru/ps/3VA9277-0FK33	
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)	
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9277-0FK33	
CAx-Online-Generator	
http://www.siemens.com/cax	
Tender specifications	
http://www.siemens.com/specifications	

