



клемма N/PE, проходная, для фронтального крепления,
принадлежность для главных и аварийных выключателей 3LD25 на 63
А, а также главных и аварийных выключателей 3LD5 UL для 30 А

версия	
торговая марка изделия	SENTRON
наименование изделия	клемма N/PE
исполнение изделия	принадлежности для главного и аварийного выключателя 3LD25
номер американского калибра проводов (AWG) как кодируемое поперечное сечение подключаемого провода	
• мин.	14
• макс.	6
вид подключаемых сечений проводов для главных контактов	
• тонкожильный с заделкой концов кабеля	1 x (2,5–35 мм²)
General Product Approval	
Declaration of Conformity	



[Confirmation](#)



Test Certificates	other	Environment	
Special Test Certificate	Miscellaneous	Confirmation	Environmental Confirmations

Дополнительная информация
Информация об упаковке Информация об упаковке
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3LD9250-2BA
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/ru/ps/3LD9250-2BA
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9250-2BA
CAX-Online-Generator http://www.siemens.com/cax
Tender specifications http://www.siemens.com/specifications



