



дверных поворотных приводов для аварийного отключения NEMA тип 1, 3R, 12, 4/4X с устройством блокировки двери осветительный комплект 24 В DC с учетом открытого положения двери принадлежность для: 3VA 5/6 400/600

версия	
торговая марка изделия	SETRON
наименование изделия	Принадлежности
исполнение изделия	Поворотный привод с выводом на дверь
принадлежности	Поворотный привод муфты двери
Общие технические данные	
степень защиты NEMA	NEMA 1, 3R, 12, 4, 4X
степень защиты IP	IP65
Механическая конструкция	
высота	94 mm
ширина	138 mm
Дополнительная информация	
<b>Информация об упаковке</b>	
<a href="#">Информация об упаковке</a>	
<b>Information- and Downloadcenter (Catalogs, Brochures,...)</b>	
<a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>	
<b>Industry Mall (Online ordering system)</b>	
<a href="https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3VA9447-0FK37">https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3VA9447-0FK37</a>	
<b>Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)</b>	
<a href="https://support.industry.siemens.com/cs/ww/ru/ps/3VA9447-0FK37">https://support.industry.siemens.com/cs/ww/ru/ps/3VA9447-0FK37</a>	
<b>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)</b>	
<a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9447-0FK37">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9447-0FK37</a>	
<b>CAx-Online-Generator</b>	
<a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>	
<b>Tender specifications</b>	
<a href="http://www.siemens.com/specifications">http://www.siemens.com/specifications</a>	



