



клемма N/PE, проходная, для фронтального крепления,
принадлежность для главных и аварийных выключателей 3LD23/24 на
160 A-250 A, а также для главных и аварийных выключателей 3LD5, на
100-150 A

версия	
торговая марка изделия	SENTRON
наименование изделия	клемма N/PE
исполнение изделия	принадлежности для главного и аварийного выключателя 3LD23/24
номер американского калибра проводов (AWG) как кодируемое поперечное сечение подключаемого провода	1
• мин.	
вид подключаемых сечений проводов для главных контактов	1 x (16–185 мм²)
• тонкожильный с заделкой концов кабеля	1 x (16–150 мм²)
• однопроводной или многопроводной	
General Product Approval	
Test Certificates	



[Confirmation](#)



[Special Test Certificate](#)

other	Environment
Confirmation	Miscellaneous
	Environmental Confirmations

Дополнительная информация
Информация об упаковке
Информация об упаковке
Information- and Downloadcenter (Catalogs, Brochures,...)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3LD9240-2B
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/ru/ps/3LD9240-2B
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9240-2B
CAX-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications



