



DIAZED, резьбовой колпачок DIII 63 A 500 В AC/DC, изолирующий материал с контрольным отверстием

версия		
торговая марка изделия	SETRON	
наименование изделия	Резьбовой колпачок DIAZED	
исполнение изделия	С контрольным отверстием	
Общие технические данные		
типоразмер системы безопасности согласно DIN EN 60269-1	DIII	
напряжение питания		
напряжение питания при переменном токе расчетное значение	500 V	
Механическая конструкция		
масса нетто	36 g	
материал головки предохранителя типа D	Пластмасса	
<b>General Product Approval</b>	<b>Declaration of Conformity</b>	<b>other</b>

[Confirmation](#)



[Miscellaneous](#)

<b>other</b>	<b>Environment</b>
<a href="#">Confirmation</a>	<a href="#">Environmental Confirmations</a>

Дополнительная информация	
<p><b>Информация об упаковке</b>  <a href="#">Информация об упаковке</a>  <b>Information- and Downloadcenter (Catalogs, Brochures,...)</b>  <a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>  <b>Industry Mall (Online ordering system)</b>  <a href="https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5SH1231">https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=5SH1231</a>  <b>Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)</b>  <a href="https://support.industry.siemens.com/cs/ww/ru/ps/5SH1231">https://support.industry.siemens.com/cs/ww/ru/ps/5SH1231</a>  <b>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)</b>  <a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SH1231">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SH1231</a>  <b>CAX-Online-Generator</b>  <a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a></p>	

Tender specifications

<http://www.siemens.com/specifications>



