

принадлежность для 3KD типоразм. 1 прямой привод, цвет: красный/желтый плоский вариант блокируемый в положении ВЫКЛ. с навесным замком



| версия                                                        |                                                       |                   |
|---------------------------------------------------------------|-------------------------------------------------------|-------------------|
| торговая марка изделия                                        | SETRON                                                |                   |
| наименование изделия                                          | Принадлежности для выключателя нагрузки-разъединителя |                   |
| исполнение изделия                                            | Прямой привод DIN43880                                |                   |
| исполнение коммутационного привода                            | РУЧНОЙ ПРИВОД                                         |                   |
| степень защиты IP с лицевой стороны                           | IP30                                                  |                   |
| пригодность                                                   |                                                       |                   |
| пригодность к использованию                                   | Для 3KD, типоразмер 1                                 |                   |
| появление                                                     |                                                       |                   |
| цвет исполнительного механизма                                | Красный/желтый                                        |                   |
| исполнение индикатора для индикации коммутационного положения | ТЕСТ ВКЛЮЧЕНИЯ-ВЫКЛЮЧЕНИЯ                             |                   |
| Механическая конструкция                                      |                                                       |                   |
| высота                                                        | 45 mm                                                 |                   |
| ширина                                                        | 57 mm                                                 |                   |
| глубина                                                       | 27,5 mm                                               |                   |
| масса нетто                                                   | 229 g                                                 |                   |
| General Product Approval                                      |                                                       | Marine / Shipping |
| Declaration of Conformity                                     |                                                       |                   |

[Confirmation](#)

[Miscellaneous](#)



| other                        | Environment                   |                                             |
|------------------------------|-------------------------------|---------------------------------------------|
| <a href="#">Confirmation</a> | <a href="#">Miscellaneous</a> | <a href="#">Environmental Confirmations</a> |

| Дополнительная информация                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Информация об упаковке                                                                                                                                                |
| <a href="#">Информация об упаковке</a>                                                                                                                                |
| Information- and Downloadcenter (Catalogs, Brochures,...)                                                                                                             |
| <a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                   |
| Industry Mall (Online ordering system)                                                                                                                                |
| <a href="https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3KD9101-8">https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3KD9101-8</a> |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)                                                                                                    |

<https://support.industry.siemens.com/cs/ww/ru/ps/3KD9101-8>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3KD9101-8](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KD9101-8)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



